



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

medical authorities; but I know of no attempt to figure the appearance in the field of vision. Subjoined I give figures showing my own visual modification in three stages—initial, maximum and final—with the location and local progress of the symptom, taken during an attack last summer, after freedom from the headaches for years. It was brought on probably by the glittering effect of the sun on the water in sea-bathing, an inducing cause sometimes noticed by other observers, and rather frequent in the period of boyhood and youth in my own case.

The area covered by the peculiar net-work shown in the figures is bright light-gray and the configuration itself is of the appearance of water-bubbles or divisions. The lines are all straight and at right-angles to one another. The progress of the stigmaté, if that term be allowed, is interesting from the point of view of theories of the localization of the trouble in the brain. The initial appearance covered the left half of the hand held eighteen inches before the face; it gradually spread leftward and upward (never downward or rightward) until it covered the whole hand when the gaze was fixed a little to the right of the hand and on the line of its lower edge. It then travelled off the hand by contracting upward and leftward (as shown in Fig. 3). This would indicate that the disturbance began in the right half of the visual area (occipital lobe) of the right hemisphere, or in the corresponding subcortical centers or tracts, spread over the entire upper half of that area (left upper quadrant of the field of visions), then died away progressively in the same order, this inference depending, of course, on the hypothesis of a projection of the elements of the visual area upon the retina.

It is interesting from the psychological point of view to note that a strong and persistent effort to call up the appearance, as for drawing a figure of it or describing it, produces in my case positive sensations of nausea.

J. MARK BALDWIN.

OXFORD, January 20, 1900.

THE DEVELOPMENT OF PHOTOGRAPHIC PLATES IN THE LIGHT.

It may be of interest to your readers to know that if photographic plates in a camera are

greatly over-exposed they may be developed in the light. A plate which should for ordinary work have an exposure of a second and a half for street or outdoor photography may be exposed for two hours. When developed with a weak hydrokinone by the light of a lamp, it gives a beautiful positive. The lamp is preferable because one can manage the degree of illumination. If the plate is held too near the lamp it will dissolve a picture already appearing. If held too far away the plate begins to fog. By moving toward or from the lamp the proper illumination may be soon secured. It is remarkable that a street scene taken in this way shows not a moving thing on the streets. Street cars passing every two minutes, wagons, horses, pedestrians, all have apparently vanished without leaving a trace upon the plate. But the fixed objects are shown perfectly, with their proper shadows and high lights.

In this way lantern slides and transparencies may be made directly without re-photographing from a negative.

FRANCIS E. NIPHER.

THE TOPOGRAPHIC SURVEY OF OHIO.

THE Ohio Legislature has just passed its appropriation bill for the year 1901. It contains an item of \$25,000 for the inauguration of a topographic survey of the State, in co-operation with the United States Geological Survey. This insures the systematic beginning of the field work next year, and the friends of the measure are confident that it will be continued until the entire State is covered.

The initiative in the movement for securing co-operation was taken by the Ohio State Academy of Sciences at its annual meeting in December, 1896, since which time a committee of this body has been active in promoting the measure. At the legislative session of 1898 a bill passed the Senate and was in good favor in the House, largely through the earnest support given it by State Senator James R. Garfield. But the outbreak of the Spanish war necessitated a large appropriation for possible military expenditures, and so it was cut off. All parties gave the measure increased support in the campaign just closed. The scientific societies of the State, including the civil engineers and the